References

1. Chen S., Wang Q., Wang T., Pei X., Preparation, damping and thermal properties of potassium titanate whiskers filled castor oil-based polyurethane / epoxy interpenetrating polymer network composites**.** *Materials and Design*, 2011, **32(2)**, 803-807.

2. Kalenda P., Kalendova A., Possibilities of affecting the chemical resistances of the coatings formed by reaction of amino resins with alkyd resins. *Pigment & Resin Technology*, 2002, **31(1)**, 27-32.

3. Athawale V.D., Shetty N. J. Studies on cyclohexanone formaldehyde styrenated CNSL coatings. *Surface Coatings International*, 2000, **83(4)**, 168-172.

4. Athawale V. D, Chamankar A.V, Coating properties of alkyd-ketonic (cyclohexanone formaldehyde) resin blends. *Journal of the American Oil Chemists' Society*, 1998, **75(7)**, 887-889.

5. Patel. K , Desai D, Bhuva Development and Characterization of Novel Interpenetrating Network Foams from Epoxy Ester and Aliphatic Epoxy Resin *E-Journal of Chemistry*, 2009, **6(2)**, 341-347.

6. Reddy G. V, Rani T. S., Khanam P. N, Jhon.K , Naidu, S. V.Chemical Resistance and Tensile Properties of Unsaturated Polyester and Epoxy/PMMA Blend Coated Ceiba pentandra, *Journal of Reinforced Plastics and Composites*, 2009, **28(2),** 175-182.

7. Liu Yi, Zhong X. Yu Y., Gelation behavior of thermoplastic-modified epoxy systems during polymerization-induced phase separation, *Colloid and Polymer Science*, 2010, **288(16),** 1561-1570.

8. Tian Q, Yuan Y. C, Rong M. Z, Zhang M.Q. A thermally remediable epoxy resin, *Journal of Materials Chemistry*, 2009, **19(9),** 1289-1296.

9. Bajpai P., Bajpai M., Development of a high performance hybrid epoxy silicone resin for coatings, *Pigment & Resin Technology*, 2010, **39(2)**, 96-100.

10. Qing Y, Zhou W, Jia S, Luo Fa, Zhu D, Dielectric properties of carbon black and carbonyl iron filled epoxy–silicone resin coating, *Journal of Materials Science*, 2010, **45(7),** 1885.

11. Patel H. S, Naji A. M, Novel unsaturated polyester resins based on (maleated cyclohexanone-formaldehyde resin) - *(epoxy resin) condensation Int. J. of Pla. Tec.*, 2010, **14(1)**, 17-37.

12. Chen S, Wang Q, Wang T, Pei X, Preparation, damping and thermal properties of potassium titanate whiskers filled castor oil-based polyurethane/epoxy interpenetrating polymer network composites**,** *Materials and Design*, 2011, **32(2),** 803-805

13. Holcapek, M, Jandera, P, Zderadicka, P, Hruba´, L. Characterization of triacylglycerol and diacylglycerol composition of plant oils using high-performance liquid chromatography-Atmospheric pressure chemical ionization mass spectrometry, *J. Chromatogr. A*, 2003, **1010,** 195-215.

14. Guo, A, Cho, Y.-J, Petrovic´, Z. S. ,Structure and properties of halogenated and non-Halogenated soy-based polyols, J. Polym. Sci. *Part A: Polym. Chem.* 2000, **38**, 3900 -3910.

15. Westfechtel, A, Giede, W. Transesterification method for the preparation of fatty acid polyol esters, Germany, EP 999/1075460; DE 19819656.

16. Dahlke, B, Hellbardt, S, Paetow, M, Zech, W. H. Polyhydroxy fatty acids and their derivatives from plant oils, *J. Am. Oil Chem. Soc.* 1995, **72**, 349-353.

17. Shaari, N. Z. K.; Lye, O. T.; Ahmad, S. Effect of triethanol amine on the properties of palmbased flexible polyurethane foams, *J. Oil Palm Research* 2004, **16**, 66-71.

18. Scholnick, F, Monroe, H. A. Jr, Saggese, E. J, Wrigley, A. N. Urethane foams from animal fats. II. Reaction of propylene oxide with fatty acids, J. Am. Oil Chem. Soc. 1967, **44**, 40-42.

19. Scholnick, F, Saggese, E. J, Wrigley, A. N, Ault, W. C, Monroe, H. A. Jr, Zubillaga, M.Urethane foams from animal fats. IV. Rigid foams from epoxidized glycerides, *J. Am. Oil Chem. Soc.* 1968, **45**, 76-77.

20. Scholnick, F, Saggese, E. J, Wrigley, A. N.,Riser, G. R. Urethane foams from animal fats.V. Flame resistant foams from hypohalogenated glycerides, *J. Am. Oil Chem. Soc*. 1970, **47**,180-182.

21. Scholnick, F, Saggese, E. J, Zubillaga, M, Monroe, H. A. Jr,Wrigley, A. N. Urethane foams from animal fats. VI. Improved properties of lard and tallow-based foams, *J. Am. Oil Chem. Soc.* 1971, **48**, 715-717.

22. Wilkes, G. L, Pechar, T. W. Structure-Property Studies of Polyurethane Networks that incorporate Soy-Based Polyols, United Soybean Board, Technical Advisory Panel (TAP) Meeting: Detroit, 2005, **40**, 12-13.

23. Swern, D, Findley, T. W, Scanlan, J. T. Epoxidation of oleic acid, methyl oleate and oleyl alcohol with perbenzoic acid, *J. Am. Chem. Soc.* 1944, **66**, 1925–1927.

24. Eckwert, K, Jeromin, L, Meffert, A, Peukert, E, Gutsche, B. Process for the epoxidation of olefinically unsaturated hydrocarbon compounds with peracetic acid, *US Pat*. 1987/4,**647**,678.

25. Findley, T. W,Swern, D, Scanlan, J. T. Epoxidation of unsaturated fatty materials with per acetic acid in glacial acetic acid solution, *J. Am. Chem. Soc.* 1945, **67**, 412–414.

26. Gruber. B,Process for the Production of Epoxidized Fatty Alcohols. *US Pat*.1991/5, **026**, 881.

27. Badran, B. M, Elmehelmy, F. M, Ghanem, N. A. In-situ epoxidation of linseed oil in presence of ion-exchange resins, *J. Oil & Colour Chemists' Assoc.* 1976, **59**, 291-294.

28. DelaCuesta, P. J. M, Martinez, E. R.; Cortes, V. R. Epoxidation of refined soybean oil by molecular-oxygen-influence of the variables-kinetic-study, *Grasas Y Aceites* 1991, **42**, 38- 45.

29. Hansen, L. I, Coutsicos, A. G. Epoxidation of fatty acids derivatives, *US Pat*. 1967/3, **328**, 430.

30. Sinadinovic´-Fisˇer, S, Jankovic´, M.; Petrovic´, Z. S. Kinetics of "in situ" epoxidation of soybean oil in bulk catalyzed by ion exchange resin, *J. Amer. Oil Chem. Soc.* 2001, **78**, 725.

31. Wisniak, J,Navarrete, E. Epoxidation of fish oil, *Ind. Eng. Chem. Prod. Res. Develop*. 1970, **38**, 3900 -3910.

32. Petrovic´, Z. S, Zlatanic´, A. Lava, C. C, Sinadinovic´-Fisˇer, S. Epoxidation of soybean oil in toluene with peroxoacetic and peroxoformic acids-kinetics and side reactions, *Eur. J. Lipid Sci. Technol.* 2002, **104**, 293-299.

33. Vlcˇek, T, Petrovic´, Z. S. Optimization of the chemo-enzymatic epoxidation of soybean oil, *J. Amer. Oil Chem. Soc*. 2006, **83**, 247-252.

34. Petrovic´, Z, Guo, A.; Javni, I. Process for the preparation of vegetable oil-based polyols and electro insulating casting compounds created from vegetable oil-based polyols, *US Pat*. 2000/6, **107**,433.

35. Petrovic´, Z, Javni, I, Guo, A, Zhang, W. Method of making natural oil-based polyols and polyurethanes therefrom, *U. S. Pat.* 2002/6,**433**,121.

36. Ionescu, M, Petrovic´, Z. S,McNeil, J, Wan, X. Ethoxylated soybean polyols for polyurethanes, In International Degradable Plastics Symposium: *Status of Bio based And Synthetic Polymer Technology; Chicago*, 2006, **12**, 13-17.

37. Petrovic´, Z. S, Guo, A, Javni, I, Cvetkovic´, I., Hong, D. P. Polyurethane networks from polyols obtained by hydroformylation of soybean oil, *Polymer International,* 2008, **57(2),** 275-281.

38. Petrovic´, Z. S, Yang, L, Zlatanic´, A, Zhang, W, Javni, I. Network structure and Properties of polyurethanes from soybean oil, *J. Appl. Polym. Sci.* 2007, **105 (5),** 2717- 2727.

39. Guo, A, Demydov, D, Zhang, W, Petrovic´, Z. S. Polyols and polyurethanes from hydroformylation of soybean oil, *J. Polymers and Environment 2002*, **10**, 49-52.

40. Frankel, E. N, Thomas, F. L. Selective hydroformylation of polyunsaturated fats with an Rh-PPh3 catalyst, *J. Am. Oil Chem. Soc.* 1972, **49**, 10-14.

41. Daute, P, Klein, J, Gruetzmacher, R, Hoefer, R. Ring-opening of epoxides with or without esterification, and use of the products in polymer manufacture, *DE 993/4*,128,649 A1.

42. Hoydonckx, H. E, Vos, D. E. D, Chavan, S. A, Jacobs, P. A. Esterification and trans esterification of renewable chemicals, *Topics in Catalysis 2004*, **27**, 1-4.

43. Nagakura, M. Fat and oil products in urethane polymers, *Prog. Org. Coatings* 1977, **5**, 35-78.